

GOOSKY

INSTRUCTION MANUAL



REDEFINE THE FLIGHT EXPERIENCE
WITH GOOSKY, BE A LEGEND
3D PERFORMANCE

Thank you for buying GOOSKY products. The RS6 Helicopter is designed as an easy to use, full featured radio control helicopter capable of all forms of rotary flight. Please read the manual carefully before assembling the model, and follow all precautions and recommendations located within the manual. Be sure to retain the manual for future reference, routine maintenance and tuning.

The RS6 is a new product developed by GOOSKY. It features the best design available on the Heli market to date, providing flying stability for beginners, full aerobatic capability for advanced fliers, and unsurpassed reliability and customer support.

WARNING LABEL LEGEND

 WARNING	Mishandling due to failure to follow these instructions may result in damage or injury.
 CAUTION	Mishandling due to failure to follow these instructions may result in danger.
 FORBIDDEN	Do not attempt under any circumstances.

IMPORTANT NOTES

R/C helicopters, including the RS6 are not toys. R/C helicopters utilize various high-tech products and technologies to provide superior performance. Improper use of this product can result in serious injury or even death. Please read this manual carefully before use, to be conscious of your own personal safety, the safety of others, and your environment when operating all GOOSKY products.

Manufacturer and seller assume no liability for the operation or the use of this product. Intended for use only by adults with experience flying remote control helicopters at a legal flying field. After the sale of this product we cannot maintain any control over its operation or usage.

We recommend that you obtain the assistance of an experienced pilot before attempting to fly our products for the first time. A local expert is the best way to properly assemble, setup, and fly your model for the first time. The RS6 Helicopter requires a certain degree of skill to operate, and is a consumer item. Any damage or dissatisfaction as a result of accidents or modifications are not covered by any warranty and cannot be returned for repair or replacement. Please contact our distributors for free technical consultation and parts at discounted rates if you experience problems during operation.

SAFETY NOTES



Fly only in safe areas, away from other people. Do not operate R/C helicopter within the vicinity of homes or crowds of people. R/C helicopter are prone to accidents, failures, and crashes due to a variety of reasons including, lack of maintenance, pilot error, and radio interference. Pilots are responsible for their actions and damage or injury occurring during the operation of the R/C helicopter.



FORBIDDEN

LOCATE AN APPROPRIATE LOCATION

R/C helicopters fly at high speed, thus posing a certain degree of potential danger. Choose a legal flying field consisting of flat, smooth ground without obstacles.

Do not fly near buildings, high voltage cables, or trees to ensure the safety of yourself, others and your model.

For the first practice, please choose a legal flying field and use training skids to fly to reduce the damage. Do not fly your model in inclement weather such as rain, snow or darkness.



FORBIDDEN

PREVENT MOISTURE

R/C models are composed of many precision electrical components.

It is critical to keep the model and associated equipment away from moisture and other contaminants. The introduction or exposure to water or moisture in any form can cause the model to malfunction resulting in loss of use, or a crash. Do not operate or expose to rain or moisture.



FORBIDDEN

FORBIDDEN PREVENT OPERATION

Please use only Goosky parts to ensure the safe operation of your helicopter.



WARNING

OBTAIN THE ASSISTANCE OF AN EXPERIENCED PILOT

Before turning on your model and transmitter, check to make sure no one else is operating on the same frequency. Frequency interference can cause your model or other models to crash. The guidance provided by an experienced pilot will be invaluable for the assembly, tuning, trimming and actual first flight. We recommend you practice with a computer-based flight simulator.



WARNING

SAFE OPERATION

Operate this unit within your ability. Do not fly under impaired conditions and improper operation may cause danger to yourself and others.



CAUTION

ALWAYS BE AWARE OF THE ROTATING BLADES

During the operation of the helicopter, the main rotor and tail rotor will be spinning at a high rate of speed. The blades are capable of inflicting serious bodily injury and damage to the environment. Be conscious of your actions, and careful to keep your face, eyes, hands, and loose clothing away from the blades. Always fly the model a safe distance from yourself and others, as well as surrounding objects. Never take your eyes off the model or leave it unattended while it is turned on. Immediately turn off the model and transmitter when you have landed model.



CAUTION

SAFE OPERATION

R/C models are made of various forms of plastic is very susceptible to damage or deformation due to extreme heat and cold climate.


Make sure not to store the model near any source of heat such as an oven, or heater. It is best to store the model indoors in a climate-controlled room.



		
Knife	Scissors	Diagonal Cutting Pliers
		
Philips Screw Driver	Hex Driver	Needle Nose Pliers
 Blue bottle in the illustration means you need to use Medium strength thread lock on the screws and bearings.	 Green bottle in the illustration means you need to use retaining compound on the screws and bearings.	 Grease
		 CA


Remark: All the glue, grease are not included in the package.



SPECIFICATIONS



Overall Height	320mm
Width	203mm
Main Gear	107T
Front Tail Pulley	75T
AIRFRAME weight (no battery)	approx 2.78kg
Main Shaft Diameter	Φ12mm
Feathering Shaft Diameter	Φ8mm
Tail Spindle Diameter	Φ4mm
One-piece tail shaft Diameter	Φ6mm
Tail Belt Width	6mm
Main Gear Ratio (Main Motor Gear 12T)	8.917
Main Gear Ratio (Main Motor Gear 13T)	8.231
Tail Ratio(Tail Pulley 16T)	4.6875
Tail Rotor Diameter (with the included 95mm tail blades)	Φ259mm
Battery Compartment Size(length*width*height)	280*52*60mm
Motor specifications	(reference) 4025 580KV


Note: Bearings and thrust bearings are factory assembled in the blade grips and already greased












! CAUTION

The M4x22 screw is inserted into the Center hub from the side with the round cutout.













Right module




Left module








! CAUTION



Attention: pass the main shaft through the third bearing to ensure alignment and smooth rotation before tightening the six marked screws, on both sides of the frame."





Note: The parameters of the three Swashplate servos should be identical, while the tail servo has different parameters.





Note

The locknuts can be glued into the landing skid to hold them in place

Grub screw M4x4

Locknut M4




BOX3

Landing skid



Skid pipe


187mm


27mm
















**! CAUTION**

Pay attention to the tail belt, there should only be a half twist anti-clockwise when looking from the tail box.









! CAUTION

Attention: Before tightening the motor screws, please adjust the gear backlash. Tighten the 8 screws gradually and evenly to provide a uniform force distribution.


! CAUTION

Omron





Note: For Mini servos the 2 front links may need to be lengthened by several millimeters to provide a level swash with the servo arms at 90 Degrees. Because of the variation in where the spline exits the servo between different brands, we cannot give an accurate measurement for the front 2 links. Start with 64.4mm and please adjust as required.

link length (64.4mm)





! CAUTION



Attention: ESC is mounted on to the ESC fixing plate with Double sided tape and zip ties.



! CAUTION


Attention: Fasten the tail push rod assembly to the tail servo ball head, then clip it into the tail push rod guide and fasten the other end to the tail control arm ball head.








Note: the red lines show where the electric wires can be run.



**! CAUTION**

Before takeoff, please fasten the canopy in place to prevent it from falling off during the flight.




Model: GT060001 Package: Hang tag +PE bag Product name: Aluminum Center Hub RS5 , RS6 	Model: GT060002 Package: Hang tag +PE bag Product name: Balance bush RS5 , RS6 	Model: GT060003 Package: Hang tag +PE bag Product name: Main Rotor Head Damper Set - 90 degree RS5 , RS6 	Model: GT060118 Package: Hang tag +PE bag Product name: Blade Grip Washers 4*20*1mm 
Model: GT060005 Package: Hang tag +PE bag Product name: Main Rotor Head Damper Set - POM RS5 , RS6 	Model: GT060109 Package: Hang tag +PE bag Product name: Main Blade Grip (Single) 	Model: GT060007 Package: Hang tag +PE bag Product name: Pitch control arm set (Single) RS5 , RS6 	Model: GT060008 Package: Hang tag +PE bag Product name: Feathering Shaft Set RS5 , RS6 
Model: GT060009 Package: Hang tag +PE bag Product name: Flat Thrust bearing Set-F8-16M RS5 , RS6 	Model: GT060010 Package: Hang tag +PE bag Product name: M4 locknut RS5 , RS6  X10	Model: GT060131 Package: Hang tag +PE bag Product name: Canopy Mount Panel 	Model: GT060012 Package: Hang tag +PE bag Product name: Servo to swash link RS5 , RS6  X5
Model: GT040013 Package: Hang tag +PE bag Product name: Ball link M3 RS5 , RS6 , RS7 	Model: GT060014 Package: Hang tag +PE bag Product name: Washout arm set (Single) RS5 , RS6 	Model: GT060015 Package: Hang tag +PE bag Product name: Washout links RS5 , RS6 	Model: GT060016 Package: Hang tag +PE bag Product name: Main Shaft RS5 , RS6 
Model: GT060017 Package: Hang tag +PE bag Product name: Swash outer ring set RS5 , RS6 	Model: GT060018 Package: Hang tag +PE bag Product name: Swash center RS5 , RS6 	Model: GT060019 Package: Hang tag +PE bag Product name: Swash inner ring RS5 , RS6 	Model: GT060020 Package: Hang tag +PE bag Product name: Front pulley RS5 , RS6 

Model: GT060021 Package: Hang tag +PE bag Product name: Oneway Bearing Seat RS5, RS6 	Model: GT060022 Package: Hang tag +PE bag Product name: Oneway Bearing RS5, RS6 	Model: GT060023 Package: Hang tag +PE bag Product name: Main Gear RS5, RS6 	Model: GT060024 Package: Hang tag +PE bag Product name: Main shaft locating ring RS5, RS6 
Model: GT060119 Package: Hang tag +PE bag Product name: Tail Belt 	Model: GT060110 Package: Hang tag +PE bag Product name: Main frame bearing holder 	Model: GT060027 Package: Hang tag +PE bag Product name: Front Servo Bracket RS5, RS6 	Model: GT060028 Package: Hang tag +PE bag Product name: Rear Servo Bracket RS5, RS6 
Model: GT060029 Package: Hang tag +PE bag Product name: Main frame lower plate RS5, RS6 	Model: GT060030 Package: Hang tag +PE bag Product name: Third bearing block RS5, RS6 	Model: GT060031 Package: Hang tag +PE bag Product name: Front Belt pulley support RS5, RS6 	Model: GT060032 Package: Hang tag +PE bag Product name: Front Belt pulley (Single Set) RS5, RS6 
Model: GT060033 Package: Hang tag +PE bag Product name: Tail boom clamp-front RS5, RS6 	Model: GT060034 Package: Hang tag +PE bag Product name: Gyro plate RS5, RS6 	Model: GT060035 Package: Hang tag +PE bag Product name: Anti-rotation bracket RS5, RS6 	Model: GT060036 Package: Hang tag +PE bag Product name: Battery rail set (Left and Right) RS5, RS6 
Model: GT060037 Package: Hang tag +PE bag Product name: Front canopy mount RS5, RS6 	Model: GT040038 Package: Hang tag +PE bag Product name: Battery latch Set RS5, RS6, RS7 	Model: GT060039 Package: Hang tag +PE bag Product name: Quick Release Rear Canopy Mount RS5, RS6 	Model: GT040185 Package: Hang tag +PE bag Product name: Canopy Quick Release Latch RS5, RS6, RS7 

Model: GT040183 Package: Hang tag +PE bag Product name: Quick Release Rear Canopy Grommets RS5 , RS6 , RS7  X4	Model: GT060040 Package: Hang tag +PE bag Product name: Tail Servo Bracket RS5 , RS6 	Model: GT060041 Package: Hang tag +PE bag Product name: Servo Screw set RS5 , RS6 , RS7 	Model: GT060120 Package: Hang tag +PE bag Product name: Upper Side Panel - L 
Model: GT060121 Package: Hang tag +PE bag Product name: Upper Side Panel - R 	Model: GT060122 Package: Hang tag +PE bag Product name: Lower Side Panel - L 	Model: GT060123 Package: Hang tag +PE bag Product name: Lower Side Panel - R 	Model: GT060046 Package: Hang tag +PE bag Product name: Front Frame Carbon plate RS5 , RS6 
Model: GT060047 Package: Hang tag +PE bag Product name: ESC Fixing plate RS5 , RS6 	Model: GT060048 Package: Hang tag +PE bag Product name: Main Frame support set RS5 , RS6 	Model: GT060049 Package: Hang tag +PE bag Product name: Motor Gear - 12T RS5 , RS6 	Model: GT060050 Package: Hang tag +PE bag Product name: Motor mount plate RS5 , RS6 
Model: GT060051 Package: Hang tag +PE bag Product name: Main motor Concentricity Cage RS5 , RS6 	Model: GT060102 Package: Hang tag +PE bag Product name: White-Landing skid RS5 , RS6 	Model: GT060117 Package: Hang tag +PE bag Product name: Color Painted Skid Pipe (White) 	Model: GT060137 Package: Hang tag +PE bag Product name: Tail push rod 
Model: GT060055 Package: Hang tag +PE bag Product name: Tail push rod Ball joint set RS5 , RS6 	Model: GT060056 Package: Hang tag +PE bag Product name: Tail push rod guides RS5 , RS6 	Model: GT060114 Package: Hang tag +PE bag Product name: Color Painted Tail boom (Purple) 	Model: GT060115 Package: Hang tag +PE bag Product name: Color Painted Tail boom (Orange) 

Model: GT060116 Package: Hang tag +PE bag Product name: Color Painted Tail boom (Blue) 	Model: GT060124 Package: Hang tag +PE bag Product name: Vertical Fin - Purple 	Model: GT060059 Package: Hang tag +PE bag Product name: Vertical Fin -Orange 	Model: GT060126 Package: Hang tag +PE bag Product name: Vertical Fin -Blue 
Model: GT060060 Package: Hang tag +PE bag Product name: Tail box mount plate set RS5 , RS6 	Model: GT060111 Package: Hang tag +PE bag Product name: Tail Case 	Model: GT060062 Package: Hang tag +PE bag Product name: Tail bell crank bracket RS5 , RS6 	Model: GT060063 Package: Hang tag +PE bag Product name: Tail pulley - 16T RS5 , RS6 
Model: GT060064 Package: Hang tag +PE bag Product name: Tail Belt pulley RS5 , RS6 	Model: GT040076 Package: Hang tag +PE bag Product name: Tail bell crank RS5 , RS6 , RS7 	Model: GT060112 Package: Hang tag +PE bag Product name: Tail slider 	Model: GT0400078 Package: Hang tag +PE bag Product name: Tail pitch slider link RS5 , RS6 , RS7 
Model: GT060066 Package: Hang tag +PE bag Product name: Tail Shaft RS5 , RS6 	Model: GT060067 Package: Hang tag +PE bag Product name: Tail feathering shaft RS5 , RS6 	Model: GT060068 Package: Hang tag +PE bag Product name: Tail Damper - 90 degree RS5 , RS6 	Model: GT060113 Package: Hang tag +PE bag Product name: Tail blade grip(Single) 
Model: GT060070 Package: Hang tag +PE bag Product name: Tail Thrust Bearing - F4-9M RS5 , RS6 	Model: GT060071 Package: Hang tag +PE bag Product name: Battery tray RS5 , RS6 	Model: GT040084 Package: Hang tag +PE bag Product name: Velcro RS5 , RS6 , RS7 	Model: GT040085 Package: Hang tag +PE bag Product name: Battery Strap RS5 , RS6 , RS7  X4

Model: GT040086 Package: Hang tag +PE bag Product name: Antenna Bracket Set RS5 , RS6 , RS7 	Model: GT060072 Package: Hang tag +PE bag Product name: Foam blade holder RS5 , RS6 	Model: GT060128 Package: Hang tag +PE bag Product name: Canopy - Purple 	Model: GT060129 Package: Hang tag +PE bag Product name: Canopy - Orange 
Model: GT060130 Package: Hang tag +PE bag Product name: Canopy - Blue 	Model: GT040093 Package: Hang tag +PE bag Product name: Canopy grommets RS5 , RS6 , RS7  X4	Model: GT040094 Package: Hang tag +PE bag Product name: Tail arm pivot Screw RS5 , RS6 , RS7  X2	Model: GT020078 Package: Hang tag +PE bag Product name: M3 finishing washers - Red RS4 , RS5 , RS6 , RS7  X4
Model: GT040095 Package: Hang tag +PE bag Product name: M4 finishing washers - Red RS5 , RS6 , RS7  X4	Model: GT040096 Package: Hang tag +PE bag Product name: Ball head Screws-φ5x13,15 RS5 , RS6 , RS7  X2	Model: GT040097 Package: Hang tag +PE bag Product name: Ball head Screws-φ5x27 RS5 , RS6 , RS7  X2	Model: GT040098 Package: Hang tag +PE bag Product name: Ball head Screws-φ5x11,15 RS5 , RS6 , RS7  X8
Model: GT040099 Package: Hang tag +PE bag Product name: Ball head Screws-φ5x10,15 RS5 , RS6 , RS7  X4	Model: GT0400100 Package: Hang tag +PE bag Product name: Ball head Screws-φ5x6,15 RS5 , RS6 , RS7 	Model: GT060075 Package: Hang tag +PE bag Product name: Screws - M4X27 Suitable for: main blades RS5 , RS6  X4	Model: GT060076 Package: Hang tag +PE bag Product name: Screw - M4X22 RS5 , RS6  X4
Model: GT060077 Package: Hang tag +PE bag Product name: Screw - M5X12 RS5 , RS6  X5	Model: GT060078 Package: Hang tag +PE bag Product name: Screw - M4X12 RS5 , RS6  X5	Model: GT060079 Package: Hang tag +PE bag Product name: Screw - M4X6 RS5 , RS6  X5	Model: GT060080 Package: Hang tag +PE bag Product name: Screw - M3X30 RS5 , RS6  X2

Model: GT060081 Package: Hang tag +PE bag Product name: Screw - M3X25 RS5 , RS6  X10	Model: GT040103 Package: Hang tag +PE bag Product name: Screw - M3X22 RS5 , RS6 , RS7  X5	Model: GT060082 Package: Hang tag +PE bag Product name: Screw - M3X20 RS5 , RS6  X5	Model: GT060083 Package: Hang tag +PE bag Product name: Screw - M3X18 RS5 , RS6  X5
Model: GT060084 Package: Hang tag +PE bag Product name: Screw - M3X16 RS5 , RS6  X5	Model: GT040102 Package: Hang tag +PE bag Product name: Screw - M3X14 RS5 , RS6 , RS7  X6	Model: GT040108 Package: Hang tag +PE bag Product name: Screw - M3X12 RS5 , RS6 , RS7  X5	Model: GT040109 Package: Hang tag +PE bag Product name: Screw - M3X10 RS5 , RS6 , RS7  X10
Model: GT020094 Package: Hang tag +PE bag Product name: Screw - M3X8 RS4 , RS5 , RS6 , RS7  X10	Model: GT040111 Package: Hang tag +PE bag Product name: Screw - M3X6 RS5 , RS6 , RS7  X10	Model: GT040112 Package: Hang tag +PE bag Product name: Screw - M2.5X8 RS5 , RS6 , RS7  X10	Model: GT040113 Package: Hang tag +PE bag Product name: Screw - M2.5X6 RS5 , RS6 , RS7  X10
Model: GT020127 Package: Hang tag +PE bag Product name: Screw - M2.5X12 RS4 , RS5 , RS6  X10	Model: GT020148 Package: Hang tag +PE bag Product name: Screw - M2.5X10 RS4 , RS5 , RS6  X10	Model: GT040114 Package: Hang tag +PE bag Product name: Screw - M2.5X5 RS5 , RS6 , RS7  X10	Model: GT060085 Package: Hang tag +PE bag Product name: Screw - M2.5X6 RS5 , RS6  X10
Model: GT020095 Package: Hang tag +PE bag Product name: Screw - M2X10-L4 RS4 , RS5 , RS6  X10	Model: GT060086 Package: Hang tag +PE bag Product name: Screw - M2X8 RS5 , RS6  X10	Model: GT020097 Package: Hang tag +PE bag Product name: Screw - M2X6 RS4 , RS5 , RS6  X10	Model: GT020125 Package: Hang tag +PE bag Product name: Screw - M2X4 RS4 , RS5 , RS6  X10

Model: GT060087 Package: Hang tag +PE bag Product name: Grub Screw - M2.5X14 RS5, RS6  X5	Model: GT060088 Package: Hang tag +PE bag Product name: Grub Screw - M4X4 RS5, RS6  X10	Model: GT020120 Package: Hang tag +PE bag Product name: M3 locknut RS4, RS5, RS6  X10	Model: GT020130 Package: Hang tag +PE bag Product name: M2 locknut RS4, RS5, RS6  X10
Model: GT060089 Package: Hang tag +PE bag Product name: Bearing(φ4*φ8*3) Suitable for: tail blade grip RS5, RS6  X2	Model: GT060090 Package: Hang tag +PE bag Product name: Bearing (φ6*φ14*4) Suitable for: Tail Slider RS5, RS6  X2	Model: GT060091 Package: Hang tag +PE bag Product name: Bearing(φ6*φ15*5) Suitable for: Tail case RS5, RS6  X2	Model: GT060092 Package: Hang tag +PE bag Product name: Bearing(φ8Xφ16X5mm) Suitable for: Main blade grip RS5, RS6  X2
Model: GT060093 Package: Hang tag +PE bag Product name: Bearing(φ30Xφ42X7mm) Suitable for: Swash outer Ring RS5, RS6  X1	Model: GT060094 Package: Hang tag +PE bag Product name: Bearing(GE12C) Suitable for: For Swashplate RS5, RS6  X1	Model: GT040128 Package: Hang tag +PE bag Product name: Bearing(683ZZ-φ3*φ7*3) Suitable for: RS7 Tail Belt pulley / RS5 Washout arm, Washout links, Tail Belt pulley RS5, RS6, RS7  X2	Model: GT060095 Package: Hang tag +PE bag Product name: Bearing(φ12*φ21*5) Suitable for: Oneway Bearing Reinforcement sleeve- Main frame bearing holder RS5, RS6  X2
Model: GT000064 Package: Hang tag +PE bag Product name: Swashplate bearing-6701ZZ Suitable for: Oneway Bearing Reinforcement Cover S2, RS5, RS6  X2	Model: GT040123 Package: Hang tag +PE bag Product name: Bearing (φ15*φ21*4) Suitable for: RS7 Oneway Bearing cover, Single Bearing Seat / RS5 Third bearing seat RS5, RS6, RS7  X2	Model: GT040120 Package: Hang tag +PE bag Product name: Bearing (φ8*φ19*6) Suitable for: Main motor concentricity holder RS5, RS6, RS7  X1	Model: GT040124 Package: Hang tag +PE bag Product name: Bearing (623ZZ-φ3*φ10*4) Suitable for: Front Belt Pulley RS5, RS6, RS7  X2
Model: GT040125 Package: Hang tag +PE bag Product name: Bearing (693ZZ-φ3*φ6*4) Suitable for: RS7 FBL Control Arm, FBL control arm ball joint, tail belt crank / RS5 tail belt crank RS5, RS6, RS7  X2	Model: GT060096 Package: Hang tag +PE bag Product name: Washers RS5, RS6  X2	Model: GT060097 Package: Hang tag +PE bag Product name: Spacer sleeve set RS5, RS6  X2	Model: GT060100 Package: Hang tag +PE bag Product name: Tail boom clamp—rear RS5, RS6  X2



Shenzhen Goosky Innovation Technology Co., Ltd.

Address:

No. 2229, Meilong Road, Longhua Street, Longhua District, Shenzhen, Guangdong, China

Website: www.goo-sky.com

Email: sales@goo-sky.com

Manufacturing:

Guangdong Goosky Technology Innovation Co., Ltd.

Address:

3th Floor, Building A2, No. 2688, Xiangshan Road, Tangjiawan Town, High-tech Industrial Development Zone, Zhuhai, Guangdong, China



Official Taobao Store



WeChat Service

